


Lampiran1. Lay Out Petak Penelitian



Keterangan:

F0 = Kontrol (tanpa perlakuan)

F1 = 5%

F2 = 10%


F3 = 15%

F4 = 20%

F5 = 25%

FK = fungisida kimia

Lampiran 2: layout Tanaman sampel



Keterangan:

X	= Sampel
XO	= Tanaman
Luas lahan	= 10x4,5m
Luas blok	= 1x1,5m
Jarak tanaman	= 60x50cm
Jarak blok	= 50 Cm
Jumlah tanaman/blok	= 6 Tanaman
Jumlah seluruh tanaman	= 216 Tanaman
Jumlah tanaman sampel/blok	= 3 Tanaman
Jumlah tanaman sampel	= 108 Tanaman

Lampiran 4. Pembuatan ekstrak daun mengkudu (*Morinda citrifolia* L) (A),
Pembelenderan daun mengkudu (B), Ekstrak daun mengkudu (C),
Konsentrasi ekstrak daun mengkudu (D)



Lampiran 5. Penyemprotan ekstrak daun mengkudu umur 33 HST (A),
Penyemprotan ekstrak daun mengkudu umur 33 HST (B).



Lampiran 6. Tanaman cabai berumur 90 HSTT (C), tanaman cabai berumur 99 HST (D).



Lampiran 7. Kejadian penyakit antraknosa (E, F, G) Keparahan serangan cendawan *colletotrichum capsici*(H, I, J, K)

